

Contact No. : 0091-22-4162 6666
E-mail : info@prismile.com
Website : www.prismile.com



10th Floor, 'A' Wing, The Great Eastern Summit,
Sector - 15, CBD Belapur, Navi Mumbai - 400 614,
India.

Drug Facts

COMPOSITION : Each ml contain Norethisterone 50 mg + Estradiol 5 mg Inj	PHARMACOLOGICAL CLASS : progestin.
---	--

NAME : Norethisterone Enanthate 50 mg + Estradiol Valerate 5 mg Injection

AVAILABLE AS : FEMYVLESS

PHARMACOLOGICAL ACTION :

Through its progestogenic activity, NETE has potent antigonadotropic effects and can inhibit fertility and suppress sex hormone levels. A single intramuscular injection of Estradiol Valerate and Norethisterone Enanthate has been found to strongly suppress testosterone levels

USED FOR :

FEMYVLESS Norethisterone enanthate 50 mg combined with estradiol valerate 5 mg is used as a combined injectable contraceptive to prevent pregnancy in women. It is given by intramuscular injection once a month.

Norethisterone enanthate (NET-EN) 50 mg combined with estradiol valerate (EV) 5 mg was studied as a once-a-month injectable contraceptive with regard to effectiveness, cycle control, adverse events and acceptability

SIDE EFFECTS : The following is a list of possible side-effects that may occur from all constituting ingredients of FEMYVLESS Injection. This is not a comprehensive list. These side-effects are possible, but do not always occur. Some of the side-effects may be rare but serious. Consult your doctor if you observe any of the following side-effects, especially if they do not go away.

Dysmenorrhea, Vaginitis

Ovarian cancer

Endometrial hyperplasia

Endometrial cancer

Breast cancer

Stroke

Increase in blood pressure

Pulmonary embolism

Nausea

Vomiting

Abdominal cramps

Bloating

Cholestatic jaundice

Rash

Dizziness

If you notice other side-effects not listed above, contact your doctor for medical advice

WARNINGS : Before using FEMYVLESS Injection, inform your doctor about your current list of medications, over the counter products (e.g. vitamins, herbal supplements, etc.), allergies, pre-existing diseases, and current health conditions (e.g. pregnancy, upcoming surgery, etc.). Some health conditions may make you more susceptible to the side-effects of the drug. Take as directed by your doctor or follow the direction printed on the product insert. Dosage is based on your condition. Tell your doctor if your condition persists or worsens. Important counseling points are listed below.

monitor blood pressure regularly

patients with a history of cholestatic jaundice

OUR ADVICE : DO NOT SELF MEDICATE
